



**SKYDEN**  
ALUMINUM SYSTEM RAILING

THE WIDE RANGE OF  
ALUMINUM GLASS SYSTEM RAILING



|

## THE LANGUAGE OF LUXURY

|

When it comes to aesthetics we believe there's no limit to the human imagination and creativity. A lot is there waiting to be explored and tried in the realms of design. We want to create and construct aesthetically pleasing architectural marvels and set the tone for different and elegant future designs.

Creativity when joins hands with the joy of exploration it gives wings to a designer's imagination, you might get in awe with the results attained by doing this.

**Yes, We know The Language of Luxury.**



## ABOUT US

We always strive to be the fore front runner in delivering aesthetically pleasing architectural metal and glass marvels in the form of elegant yet sturdy railing designs and accessories, at par with the international standards.

We have established our brand name synonymous with reliability and supreme quality. We attain this benchmark by adhering to our stringent quality check process that complies with the international standards of railing designs and product quality. You will get the finest quality railing designs and accessories from us.

Our in-house design team explores innovations and studies recent global trends to always be in-the-know of what new can be done and what's next on the horizon. All of this is possible with the help of our well-qualified engineers and professionals so that our valuable clients always get the quality products and services from us.


## VISION

We aspire to set benchmarks in the railing designs, quality, and deliverables.

Quality assurance merged with the latest technology and trusted experience of our professionals reflects in our products and the very fabric and culture of our organization.



# SD 01



<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top   Concealed
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	1100mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft.



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



## SD 02



<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft   16ft.



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



## SD 02B



<b>TYPE :</b>	Bracket with Side Cap System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	70mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF




CORROSION RESISTANCE





# SD 03





<b>TYPE :</b>	Bracket with Cover System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft   16ft.


 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE


 100% RECYCLABLE

 WEATHER PROOF

 CORROSION RESISTANCE



## SD 04



**TYPE :** Bracket with Cover System

**USE :** Indoor & Outdoor

**MOUNT :** Top | Concealed

**MATERIAL :** Aluminium Alloy 6063 - T6

**GLASS HEIGHT :** 970mm (max)

**GLASS THICKNESS :** 12mm

**FINISH :** Anodized | Powder Coat  
Wood Coat

**LENGTH :** 12ft | 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE



WEATHER PROOF




CORROSION RESISTANCE





**SD 05**



<b>TYPE :</b>	Bracket System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	70mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



# SD 06



<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top   Concealed
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft   16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF





CORROSION RESISTANCE







# SD 07



<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top   Concealed
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	1100mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft   16ft



 EASY INSTALLATION  
 EASY CLEANING

 MAINTENANCE FREE  
 100% RECYCLABLE

 WEATHER PROOF  
 CORROSION RESISTANCE



## SD 08



<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top   Concealed
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft   16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



## SD 09



<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft   16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



# SD 10



<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970 (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft   16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF





CORROSION RESISTANCE







# SD 11



<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top   Side   Concealed
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	1100mm (max)
<b>GLASS THICKNESS :</b>	12mm to 19mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft


 EASY INSTALLATION  
 EASY CLEANING

 MAINTENANCE FREE  
 100% RECYCLABLE

 WEATHER PROOF  
 CORROSION RESISTANCE



# SD 11B



<b>TYPE :</b>	Bracket with Side Cap System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	1100mm (max)
<b>GLASS THICKNESS :</b>	12mm   19mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	70mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE



WEATHER PROOF




CORROSION RESISTANCE





## SD 12



**TYPE :** Bracket with Cover System

**USE :** Indoor & Outdoor

**MOUNT :** Top

**MATERIAL :** Aluminium Alloy 6063 - T6

**GLASS HEIGHT :** 970 (max)

**GLASS THICKNESS :** 12mm

**FINISH :** Anodized | Powder Coat  
Wood Coat

**LENGTH :** 12ft | 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



# SD 13



<b>TYPE :</b>	Bracket with Cover System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	1100mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft   16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF





CORROSION RESISTANCE







# SD 14



<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft   16ft


-  EASY INSTALLATION
-  EASY CLEANING

-  MAINTENANCE FREE
-  100% RECYCLABLE

-  WEATHER PROOF
-  CORROSION RESISTANCE



# SD 15



<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft   16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF





CORROSION RESISTANCE







# SD 16



<b>TYPE :</b>	Bracket with Cover System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft   16ft


 EASY INSTALLATION  
 EASY CLEANING

 MAINTENANCE FREE  
 100% RECYCLABLE

 WEATHER PROOF  
 CORROSION RESISTANCE



# SD 16B



<b>TYPE :</b>	Bracket with Side Cap
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	70mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



# SD 17



<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top   Concealed
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft   16ft

 EASY INSTALLATION

 EASY CLEANING


 MAINTENANCE FREE

 100% RECYCLABLE

 WEATHER PROOF

 CORROSION RESISTANCE

# SD 18



<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top   Concealed
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	1100mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE



WEATHER PROOF




CORROSION RESISTANCE





## SD 19



**TYPE :** Bracket System

**USE :** Indoor & Outdoor

**MOUNT :** Top

**MATERIAL :** Aluminium Alloy 6063 - T6

**GLASS HEIGHT :** 970mm (max)

**GLASS THICKNESS :** 12mm

**FINISH :** Anodized | Powder Coat  
Wood Coat

**LENGTH :** 60mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



## SD 20



<b>TYPE :</b>	Bracket System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	60mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



**SD 21**



<b>TYPE :</b>	Bracket System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	70mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



## SD 22



<b>TYPE :</b>	Continuous Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top   Concealed
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft   16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF





CORROSION RESISTANCE







# SD 23



<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft   16ft


 EASY INSTALLATION  
 EASY CLEANING

 MAINTENANCE FREE  
 100% RECYCLABLE

 WEATHER PROOF  
 CORROSION RESISTANCE



## SD 24



<b>TYPE :</b>	Bracket System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	60mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF





CORROSION RESISTANCE






# SD 25



<b>TYPE :</b>	Bracket with Cover System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft   16ft


 EASY INSTALLATION  
 EASY CLEANING

 MAINTENANCE FREE  
 100% RECYCLABLE

 WEATHER PROOF  
 CORROSION RESISTANCE



## SD 26



<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	1100mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE



WEATHER PROOF




CORROSION RESISTANCE











# SD 27



<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top   Concealed
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	1100mm (max)
<b>GLASS THICKNESS :</b>	25.5mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft


 EASY INSTALLATION  
 EASY CLEANING

 MAINTENANCE FREE  
 100% RECYCLABLE



 WEATHER PROOF  
 CORROSION RESISTANCE







# SD 28



<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top   Concealed
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	900mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft   16ft


 EASY INSTALLATION  
 EASY CLEANING

 MAINTENANCE FREE  
 100% RECYCLABLE



 WEATHER PROOF  
 CORROSION RESISTANCE







# SD 29



<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	1100mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft


 EASY INSTALLATION  
 EASY CLEANING

 MAINTENANCE FREE  
 100% RECYCLABLE



 WEATHER PROOF  
 CORROSION RESISTANCE





# SD 30



<b>TYPE :</b>	Bracket with Cover System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	60mm/pcs


 EASY INSTALLATION  
 EASY CLEANING

 MAINTENANCE FREE  
 100% RECYCLABLE


 WEATHER PROOF  
 CORROSION RESISTANCE





# SD 31




<b>TYPE :</b>	Continuos Profile System
<b>USE :</b>	Indoor & Outdoor
<b>MOUNT :</b>	Top
<b>MATERIAL :</b>	Aluminium Alloy 6063 - T6
<b>GLASS HEIGHT :</b>	970mm (max)
<b>GLASS THICKNESS :</b>	12mm
<b>FINISH :</b>	Anodized   Powder Coat Wood Coat
<b>LENGTH :</b>	12ft   16ft


 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE

 100% RECYCLABLE

 WEATHER PROOF

 CORROSION RESISTANCE

# HANDRAIL & ACCESSORIES



**HR-01 (50X50mm Square Light)**

HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP



**HR-02 (40X40mm Square)**

HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP



**HR-03 (25X25mm)**


HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP








**HR-04 (50mm Round)**

HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP

# HANDRAIL & ACCESSORIES








**HR-05 (65mm Round)**

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP








**HR-06 (65X38mm)**

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP








**HR-07 (50X50mm LED Diffuser)**

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP



**HR-08 (41X36mm)**

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP

# HANDRAIL & ACCESSORIES



**HR-09 (82X38mm)**

HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP



**HR-10 (50X50mm Heavy)**

HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP



**HR-11 (42mm Round)**

HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP



**HR-12 (71X35mm)**



HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP




# HANDRAIL & ACCESSORIES





**HR-13 (71x35mm LED Diffuser)**




**HR-14 (21X22mm)**



**HR-15 (19X18mm)**








**HR-16 (17mm)**



# HANDRAIL & ACCESSORIES








**HR-17 (35X40mm)**

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP








**HR-18 (65X40mm)**

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP



**HR-19 (60X40mm)**

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP

# FINISHES

## AVAILABLE FINISHES



**C-5**



**US-1103**



**US-1107**



**SILVER**

---

## WE CAN MAKE FINISHES AS PER REQUIREMENTS



**US-017**



**US-010**



**US-023**




**US-222**



**US-777**



**US-1111**



**US-555**



**US-1106**

BRAND WE USE IN FASTENER

STRONG FOR GENERATIONS

# KLIMAS

FASTENER TECHNOLOGIES



Frame plug with TX head screw (polyamide sleeve)

## KPS-FAST S / KPR-FAST K

### RELIABLE AND SECURE

**PA**  
100% NYLON

# FASTENING



### SUBSTRATES (ETAG 020 ABCCD)



**A**  
Cracked concrete – non-structural, multi-point fastening



**B**  
Solid clay brick, Solid calcium silicate brick



**C**  
Hollow or perforated clay brick



**C**  
Calcium silicate hollow block



**D**  
AAC block

### AVAILABLE ANCHOR LENGTH:

8 x 80mm	8 x 100mm	8 x 120mm
10 x 80mm	10 x 100mm	10 x 120mm
10 x 140mm	10 x 160mm	

### ZINC FLAKE COATING

Zinc flake coating offers two times better corrosion resistance compared



EUROPEAN TECHNICAL ASSESSMENT ETA-12/0272



**Address:** Beside Mars Soil, Testing Laboratory,  
Kumbarwas, Nr. Vandematram Railway Crossing,  
Gota, 382481-Ahmedabad.

**E-mail:** [sales@skydecks.in](mailto:sales@skydecks.in)

**Website:** [www.skydecks.in](http://www.skydecks.in)

**Contact:** +91-9979929622

Follow us on:   